


STEALTH

Pipeline Metal Detector



KEY FEATURES:

- Contact Reporter Lite Software Included
- Detailed Data Collection Included
- Digital Signal Processing Technology
- Ultra Sensitive Detection
- AutoTest: Self Diagnostic Testing
- Automatic Calibration
- System Set-up in Seconds
- Flash Memory Stability
- Multi-Level Password Protection
- BSH Rugged Casing for Harsh Environments
- Various Pipe Materials Available
- Reject Confirmation Option
- Alternative Reject Valves

OVERVIEW:

Stealth Pipeline metal detectors are custom manufactured to suit any piped product application. The Stealth uses digital signal processing technology and has high sensitivity levels to ensure the detection of the smallest ferrous, non-ferrous and stainless steel contaminants. The built-in data collection software with USB data transfer establishes the Stealth as an effective critical control point complying with stringent HACCP regulations.

THE FORTRESS ADVANTAGE:

- Simple Operation
- Custom built detectors or stock sizes
- "Never Obsolete" Commitment: detectors are always upgradable
- Modular design; have fewer components
- Outstanding Reliability
- Exceptional Performance

APPLICATIONS:

- Liquids
- Meats
- Dairy
- Soup
- Sauce
- Paste
- Confectionery
- Juice
- Jam
- Sausage Meat

AVAILABLE OPTIONS:

Meat Pump -
'E' Type



STEALTH

Pipeline Metal Detector

FORTRESS

TECHNOLOGY

www.fortresstechnology.co.uk

Custom Pipe
Material available

Heated Water Jacket/
Wrapping for Product
Stability Available

Powerful Digital Signal
Processing (DSP) Technology

Product Library Stores
Multiple Product Settings
for Easy Recall

Multi-Level
Password Protection

User-Friendly
Multi-Language Control
Panel Interface

Dual Power with
Auto-balance and
Ultra-sensitivity levels

Automatic QA Testing
and Calibration

USB Port for access to QA
Reports, Configuration
and Firmware Updates

Sleek Modular
Design for
greater reliability

Reject
Confirmation

Diverter Valve
or Custom
Reject System

DETECTOR OPTIONS & SPECIFICATIONS:

Construction	Stainless Steel and Food Grade Plastics
Pipe Diameter	Custom and Standard Stock Sizes (50mm, 75mm, 100mm) Available
Pipe Material	Non-Metallic: Nylon, Rubber, Teflon - application dependent
Pressure Range	10 ~ 300 psi (1-21 bar) ** Greater range achievable
Temperature Range	-10°C - 150°C (14°F - 300°F) ** Greater range achievable
Rating	Nema 4X / IP69K
Remote Mounting	Display panel terminal can be mounted remotely (Up to 4,000ft / 1,200m)
Network Communications	RS485, Ethernet / Wireless via Contact Communications Software
Electrical	90-250v Single phase, 1 amp, 50-60Hz

Simple Operation. Outstanding Reliability. Exceptional Performance.

Copyright © 2013 Fortress Technology Inc. All rights reserved. Patent Pending. The information, designs and artwork contained in this document are confidential and may not be disseminated, distributed or copied without written consent from Fortress Technology Inc. Specifications, designs, features and technology subject to change without notice.



FORTRESS

TECHNOLOGY